Mutant-specific oligonucleotide primers used for mutant number 1. Mutated nucleotide underlined.

non-sense primer	3'-	ATACTCTGACTCTGG <u>G</u> GGAGAÇA	-51
sense primer	5 ' -	TGAGACC <u>C</u> CCTCTGTTATCCCAG	–3 י
Bet v 1 non-sense	3'-	${\tt TTAATACTCTGACTCTGG\underline{T}GGAGACAATAGGGTCGTCGAGC}$	-5 '
Bet v 1 sense	5'-	AATTATGAGACTGAGACCACCTCTGTTATCCCAGCAGCTCG	–3 '


Oligonucleotide primers for site directed mutagenesis of Bet v 1 (No. 2801).

all	sense	1: 183Bv, 15-mer 5'-GTTGCCAACGATCAG
1	sense	2: 184Bv, 23-mer 5'-TGAGACCCCCTCTGTTATCCCAG
1	non-sense	3: 185Bv, 23-mer 5'-ACAGAGGGGGTCTCAGTCTCATA
2	sense	4:186Bv, 31-mer 5'-GATACCCTCTTTCCACAGGTTGCACCCCAAG
2	non-sense	S: 1878v, 31-mer 5'-ACCTGTGGAAAGAGGGTATCGCCATCAAGGA
3,1	sense	6: 188Bv, 23-mer 5'-AACATTTCAGGAAATGGAGGGCC
3	non-sense	7: 1898v, 23-mer 5'-TTTCCTGAAATGTTTTCAACACT
4	sense	8: 190Bv, 23-mer S'-TTARGAACATCAGCTTTCCCGAA
4	non-sense	9: 191Bv, 23-mer 5'-AGCTGATGTTCTTAATGGTTCCA
s	sense	10: 192Bv, 23-mer 5'-GGACCATGCAAACTTCAAATACA
5	non-sense	11: 193Bv, 23-mer 5'-AGTTTGCATGGTCCACCTCATCA
6	sense	12: 194Bv, 23-mer 5'-TTTCCCTCAGGCCTCCCTTTCAA
6	non-sense	13: 195Bv, 23-mer 5'-AGGCCTGAGGGAAAGCTGATCTT
7	sense	14: 196Bv, 24-mer 5'-TGAAGGATCTGGAGGGCCTGGAAC
7	non-sense	15: 197Bv, 24-mer 5'-CCCTCCAGATCCTTCAATGTTTTC
8	sense	16: 198Bv, 24-mer 5'-GGCAACTGGTGATGGAGGATCCAT
8	non-sense	17: 199Ev, 24-mer 5'-CCATCACCAGTTGCCACTATCTTT
all	non-sense	18: 200Bv, 15-mer 5'-CATGCCATCCGTAAG

Overview of all Bet v 1 mutations

										:	1 (/	4-C	;)											
GGTGTGTTTAATTATGAGACTGAGACCACCTCTGTTATCCCAGCAGCTCGACTGTTCAAG											60													
G	: \	, E		4 7	Y	E	7	i, E	: '	т	r- F	s	v	1	. 1	? #		A	R	L	F	,	ĸ	20
				9 (2	4- (3)		2	(A	-C)	2	(A	-C)											
GC	CTT	TAT	CCI	TGA	<u>\</u> TC	;GC	GA	<u>taa</u>	cc:	rcı	TT	cc	A <u>A</u> A(GT	TGC	ACC	ccı	LAG	cc	AT I	DAT	CAJ	3T	120
A	F	1	t	D-	·G	G	D	N-	T I	L.	P	P	K-(v	A	P	C	2 .	A	ı	s	:	9	40
		3 (0	GA-	TC)		7	(A.	A-T	2)						4	(G-	C)			6 (GA-	-TC	2)	
GT.	r G A	AAA	CAT	T <u>Ga</u>	AG	GA,	AA'	TGG	AGG	GC	CI	3GA	ACC	AT.	raa(GAA	GAT	CA	GC:	ITI	cc	<u> </u>	ĮA.	180
v	E	N	I	€-	S	G I	N-:	s G	G)	Ð	G	T	I	K	K-1	N I		s	F	P	E-	s	60
																				•				
																		5 (0	LA-	-TG)			
GGC	CT	CCI	TT	CAA	GT.	AC	GTC	SAAC	GA	CAC	3AC	TT	GAT	GAG	GT	3GA(CA	<u>CA</u> (:Az	AC	TTC	:AA	A	240
G	Ł	P	F	ĸ	•	Y	v	ĸ	D	1	2	v	D	E	v	D	H	T-	A	И	F	K		80
TAC	AAI	TAC	AGC	GTC	ea?	rcc	ZAG	GGC	GG:	rcc	:CA	TA	GC(3AC	ACA	TTG	GAC	IAA	GA	TC	rcc	AA	С	300
Y	N	Y	s	v	נ		E	G	G	E		I	G	D	T	L	£	K		I	s	N		100
10(gag	-CA	C)			8 (CC	C-T	GG))														
GAG	ATA	aag.	ATA	GTG	GC	:AA	c <u>c</u>	CCI	GA7	rgg	AG	GA7	rcca	TC	TTG	AAG	ATC	:AG	CA	ACF	VAG'	TA	2	360
E	I	ĸ	I	v	A		т	P-G	D	, G	; (G	s	r.	L	ĸ	r	s		N	K	Y		120
CAC	ACC	AAA	GGT	GAC	:CA	TG	AG	GTG	VAC	:GC	AG	AGC	AGG	TT	4AG	GCA.	agt	'AA	AG.	AAA	TG	GG	2	420
н	т	ĸ	G	D	H	ľ	E	v	к	A		Е	Q	v	ĸ	A	s	ĸ	1	E	м	G		140
GAG	ACA(CTT:	rtg.	AGG	GC	.cc	TT	GAG	\GC	TA	cc	rcı	TG G	CAC	CAC	TCC	TAE	GC		ACA	ACT	ra.		480

A








Fig. 5 -- Bet v 1 -- Asn28Thr+Lys32Gln








8 33 FIG. 8 250 Wavelength (na) 5797a 3*Mutant 2595 8 8 . 000 000 8 8 8 8 ୍ଦ ຊ 눞 8

TE SECTION TO THE TOTAL TOTAL



→ Bet v 1 → Glu45Ser, Pro108Gly, Asn28Thr+Lys32Gln.

The state of the s

Conserved residues among Vespula antigen 5





Figure 10.



Mutant-specific oligonucleotide primers used for Ves v 5 mutants. Mutated nucleotides underlined.

Ves v 5 mutant 1 (K72A) Ves v 5 sense 5'- ACCACAGCCTCCAGCGAAGAATATGAAAAATTTGGTATGGA -3' Ves v 5 non-sense 3'- TGGTGTCGGAGGTCGCTTCTTATACTTTTTAAACCATACCT -5' sense primer CCAGCGCTAATATGAAAAAT -3~ non-sense primer 3'-GTCGGAGGTCGC<u>CGA</u>TTATAC -5 Ves v 5 mutant 2 (Y96A) Ves v 5 sense 5 - GGCTAATCAATGTCAATATGGTCACGATACTTGCAGGGATG -3 -Ves v 5 non-sense 3'- CCGATTAGTTACAGTTATACCAGTGCTATGAACGTCCCTAC -5' sense primer TGTCAAGCTGGTCACGATACT -3non-sense primer 3 -TTAGTTACAGTTCGACCAGTG -5′


Oligonucleotide primers for site directed mutagenesis of v = v + 1

all sense 1: XhoI start, 38-mer:


1	sense		K72As	21-	mer	5´-CCAGCGGCTAATATGAAAAAT
1	non-sense	2:	K72Aa	21-	mer	5 - CATATTAGCCGCTGAGGCTG
2	sense	3:	Y96As	21-	mer	5 ~ TGTCAAGCTGGTCACGATACT
2	non-sense	4:	Y96Aa	21-	mer	5'-GTGACCAGCTTGACATTGATT
iţ.						a concenser toward
all	non-sense	7:	CT-pPICZO	αA,	21-mer	5 ~ ATTCATCAGCTGCGAGATAGG

Overview of Ves v 5 mutations

1	AA	CAA	TTA	TTG	TAA	AAT	'AAA'	ATG	TTT	GAA	AGG	AGG	TGT	'CCA	ATA	CTG	CC	TG	CAA	ATA	TGGA	6
1	N	N	Y	C	K	I	K	C	L	K	G	G	V	H		r	A	С	К	Y	G	2
61	ΑGʻ	TCT	TAA	ACC	GAA	TTG	CGG	TAA	AAT	GGT.	AGT	GGT	ATC	CTA	TGO	3TC	TA	ACC	SAA:	ACA	AGAG	12
21	S	L	K	P	N	С	G	N	ĸ	V	V	V	S	Y	•	3	L	T	K	Q	E	4
121	AA	ACA.	AGA	CAT	CTT.	AAA	GGA	GCA	CAA!	rga(CTT	TAG.	ACA.	AAA	AAT	TG	CA	CGA	\GG!	TT	GAG	18
41	K	Q	a	1	L	K	E	H	N	D	F	R	Q	K	. 3		A	R	G	L	E	6
													[K7	-	-			-				
												_	_								AAC	24
61	T	R	G	N	P	G	P	Q	P	Þ	A	ĸ	N	M	K		N	L	v	W	N	8
																	_				·GC)	
241	GAC																				ACT	30
81	D	E	L	A	Y	v	A	Q	v	W	A	N	Q	С	Q	•	Y	G	H	D	T	100
301	TGC	'AGC	GAT	GTA	AGCZ	AA.	TAT	CAC	ĠTI	GGA	CAA	AAA	GTA	AGC	CTT)AA	CAC	GT.	AGC	ACG	GCT	360
101	С	R	D	V	A	ĸ	Y	Q	V	G	Q	N	v	A	L	7	r	G	S	T	A	120
361	GCT	מממי	TAC	רבטי	רבאיו	יכרי	GTT.	מממי	ברים	ርጥ	מממי	ስ ገ	maa	GAI	AGA'	TGZ	A A C	ታ ተና፣	מממ	GAT	ጥልጥ	420
121																					Y	140
421	AAT	CCT	AAG	AAA	AAG	TTT	TCG	GGA	AAC	GAC	TTI	CTG	AAA	ACC	GG	CCA	TI	AC	ACT	CAA	ATG	480
141	N	P	ĸ	ĸ	K	F	s	G	N	D	F	L	ĸ	T	G	F	I	Y	T	Q	M	160
481	GTT	TGG	GCI	'AAC	'ACC	AAG	GAA	GTT	GGT	TGT	GGA	agt	'ATA	AAA	TA	Cat	TC	'AAC	GAG.	AAA	TGG	540
161	V	W	A	N	T	ĸ	E	v	G	C	G	s	I	K	Y	1		Q	E	K	W	180
541	C2 C	* * *	~~ ~ ~	ma c	·~	C/M N		N N M	ም እ ጥ	CON		3 CC	ca n	B B C	wlal w	ת מיז	(C) N	n TV	7 N C	72 D	Control o	600
181																				JAA E		200
101	п	•	п		ш	٧	_	14	1	G	F	3	G	44	E		•	74	E	E	Ц	200
601	_{ፓል} ጥ	ממה	ארא	AAG	ממד																	612
201																						204
	_	_				. E																. , .



Effect of point mutations in dominating IgE epitopes hypothetical model with 3 epitopes



Cross-linking

DNA SEQUENCE

Der p 2 (DNA sequence referred to in notes in accession No. P49278 SWISSPROT)

ORIGIN


1	cacaaattot totttottoo ttactactga toattaatot gaaaacaaaa ccaaacaaac
61	cattcaaaat gatgtacaaa attttgtgtc tttcattgtt ggtcgcagcc gttgctcgtg
121	atcaagtcga tgtcaaagat tgtgccaatc atgaaatcaa aaaagttttg gtaccaggat
181	gccatggttc agaaccatgt atcattcatc gtggtaaacc attccaattg gaagccgttt
241	togaagocaa ccaaaacaca aaaacggota aaattgaaat caaagoctca atcgatggtt
301	tagaagttga tgttcccggt atcgatccae atgcatgcca ttacatgaaa tgcccattgg
361	ttaaaggaca acaatatgat attaaatata catggaatgt tccgaaaatt gcaccaaaat
421	ctgaaaatgt tgtcgtcact gttaaagtta tgggtgatga tggtgttttg gcctgtgcta
481	ttgctactca tgctaaaatc cgcgattaaa tcaaacaaaa tttattgatt ttgtaatcac
541	aaatgattga ttttctttcc aaaaaaaaaa taaataaaat tttgggaatt c

AMINO ACID SEQUENCE

Der p 2 (Accession No. P49278 SWISSPROT; includes signal peptide 1-17)

- mmykilclsl Ivaavardqv dvkdcanhei kkvlvpgchg sepciihrgk pfqleavfea nqntktakie ikasidglev dvpgidpnac hymkcplvkg qqydikytwn vpkiapksen vvvtvkvmgd dgvlacaiat hakird
- 61
- 121

Figure 17



(II) -(1)-----X30Y-----X50Y-----X70Y-----X90Y----X110Y-----(12)

Lines represents DNA sequences.

Numbers in parentheses above lines represents sense oligonucleotide primers: (1), (3), (5), (7), (9), (11). Numbers in parentheses below lines represents anti-sense oligonucleotide primers: (2), (4), (6), (8), (10), (12). Notation X (position) Y represents mutations.

(1) Represents the sense oligonucleotide primer accommodating the protein N-terminus. (12) Represents the anti-sense oligonucleotide primer accommodating the protein C-terminus.

(A16P, N28T, K32Q, K103T, P108G, L152K, A153G, S155P) DNA template: Bet v 1 (2571) carrying N28T, K32Q, P108G mutations. 372BVa:TTACTGAATTCATTAGTTGTAGGCATCcggGTGgcctttGAGGTA 372BVa CAGTCGcggTGCTGGGATAACAGA CCAGCAccgCGACTGTTCAAGGCC CACTATGGTTATCTCGTTGGAGAT :GAGATAaccATAGTGGCAACtggT : CAGACTAATTCGACGTCGGTACCC 370BVa 369BVs 368BVa 367BVs Bet v 1 (2637) 331pMalc 331 pMalc 367BVs 368BVa 370BVa 369BVs 332pMalc (a) Bet v 1 (2628) (Y5V, E45S, K65N, K97S, K134E) 366BV (a) 365BV (s) DNA template: Bet v 1 (2589) carrying the Y5V mutation. 364BV (a) 363BV (s) 362BV (a) 361BV (s) 189BV (a) 188BV (s) Figure 18 331 pMalc (s)

CAGGTTGAAGCAAGTAAGAAATG

GCAGGTCGACTCTAGAGGATCCAT

υ

332pMal

365BVs

366Bva

GGAGAGCATCTCCAACGAGATAAA ACTTGCTTCAACCTGCTCTGCCTT

363BVs

CAGACTAATTCGAGCTCGGTACCC

331pMal

CACGTAGTTGAAAGGGAGGCCTTC


362Bva 361BVs 364Bva

189BV 188BV

AACATITCAGGAAATGGAGGGCC

TTTCCTGAAATGTTTTCAACACT

TTTCAACTAC**GTGAAGGACAGAGT** GGAGATGCTCTCCAATGTGTCGCC




Molecular surface of Bet v 1.

Left side: Bet v 1 (2628), Right side: Bet v 1 (2637)


Grey: Backbone + amino acids 95-100% conserved among Fagales


Black: Introduced point mutations.


Figure 19




2. nm CD-spectrum of Bet v 1 (2637), open squares, and the CD-spectrum of native folded Bet v 1.2801, closed circles, both obtained at 20 °C










Grey: Back bone + Amino acid residues 95-100% conserved among Fagales, Black: Point mutations



Black: Point mutations Grey: Back bone + Amino acid residues 95-100% conserved among Fagales,

Distribution of point mutations at the molecular surface of, Bet v 4 (2744) [white], and Bet v 1 (2753) [Black]







Figure 26 Grey: Molecular surface; amino acid residues 95-100% conserved among *Fagales*Black: Mutations (Y5V, K134E), (E42S, E45S), (N78K, K103V), K123 I, (D156H, +160N)


White: Mutations (N28T, K32Q), K65N, (E96L, K97S), (P108G, D109N), (D125Y, E127S), R145E


Figure 27 Circular dichroisme spectra of Bet v 1.2801 and mutant Bet v 1(2744), pH 7.13, T 20C.












å





Point mutations at the Molecular surface, Bet v 1 (2733) Figure 30

Grey: Back bone + Amino acid residues 95-100% conserved among Fagales, Black: Point mutations: Y5V, N28T, K32Q, E45S, K65N, N78K, K97S, K103V, P108G, K134E, R145E, D156H, +160N

Figure 31

Oligonucleotide primers for site-directed mutagenesis of Der p 2

	K6A	sense	OB43	42-mer	5'-CCGCTCGAGAAAAGAGATCAAGTCGATGTCGCCGATTGTGCC-3'
		anti-sense	OB28	39-mer	Xba I 5' -CGT <u>TCTAGA</u> CTATTAATCGCGGATTT _T TAGCATGAGTTGC- 3'
	K15E	sense	OB44	67-mer	5' -CCG <u>CTCGAG</u> AAAAGAGATCAAGTCGATGTCAAAGATTGTGCC AACCATGAAATCAAAGAAGTTTTGG-3'
		anti-sense	OB28	39-mer	5' -CGT <u>TCTAGA</u> CTATTAATCGCGGATTTTAGCATGAGTTGC-3'
ŧ	H30N	sense	OB46	54-mer	5' -CGG <u>GGTACC</u> AGGATGTCATGGTTCAGAACCATGTATCATTAA CCGTGGTAAACC-3'
		anti-sensc	OB28	39-mer	5' -CGT <u>TCTAGA</u> CTATTAATCGCGGATTTTAGCATGAGTTGC-3'
	E62S	sense	OB47	33-mer	5' -GCCTCAATCGATGGTTTATCAGTTGATGTTCCC- 3'
		anti-sense	OB48	33-mer	5' -GGGAACATCAACTGATAAACCATCGATTGAGGC- 3'
	H74N	sense	OB49	32-mer	5° -CATG <u>GCATGC</u> AATTACATGAAATGCCCATTGG- 3°
		anti-sense	OB28	39-mer	5' -CGT <u>TCTAGA</u> CTATTAATCGCGGATTTTAGCATGAGTTGC-3'
	K82N	sense	OB50	50-mer	Sph 1 5'-CTAC <u>GCATGC</u> CATTACATGAAATGCCCATTGGTTAATGGACAA CAATATG-3'
		anti-sense	OB28	39-mer	<i>Xba I</i> 5' -CGT <u>TCTAGA</u> CTATTAATCGCGGATTTTAGCATGAGTTGC-3'

|--|

Figure 32 (Der p 2)




FIG. 33: Der p 2




FIG. 34: Der p 2 mutant

đ

Figure 35A (Der p 1)

			•			C				\			-	- -		:			[
1															- ·		<u>د</u>		
	Der p1 ALK					····				•	٠	•		•					
spiP08175IMMAL_DERPT_Derp 1	Oer p 1	:	•	Z :	۷ ۲	*****	٦ ٢	> >	⋖	- S S	<u>.</u>	ΕYK	ΑF	X S Y	A. F.E	DEEA	A R	ш	>
OSUEA0	Eur m 1.0101			Y W	•••	S	1 / 1	> <	Α.	-	u H	E F	Y V	X 1 X	Т.	E.	A R	ب	S
MUSICASION 120101	Fer m 1.0101	· 2	- L U -	• •			• •	• <	٠ ٥				• •				• •	•	
MMAL DERFA	Der f1			u L	•••••••) > >	· >	.		- J-	7 7	4 V	- > ^ 2	- + 	ה ה ה	Z 0		
IEUM1 EURWA	-E				, .										>		۲ ·		
tnjAAGODSZUJAAGODSZO Der (1	Der C1	•				:			•			<u>.</u>			· · · · · · · · · · · · · · · · · · ·				
			4			3 0			2 0			10	-		-		-	•	Ī
																			L
	Der p1 ALK			*****	•								•		4	S	COR		
MMAL DERPT	Der p 1	>	2 0 2	8 G	I Z		2 T D	¥	ď	V S	A	<u>ب</u>	Q F	LMA	1 H V	S	ě.		×
OSCIBADO OSCIBADO	Eur m 1.0101	×	< ES	٠٠ ذ	I I	S	SLD	¥	O.	۷ K	ΑF	1	Q F	LNA	T. Y. W.	7	SVS	S	
91773	Eur m 1.0101					•	•	¥	о (Z.	A	7	О.	LNA	TYA	-	SVS	S	
MAI NEDEA	Euf m 1.0102	> > = =	> > A	2	E 3) -) u	T U	- L	Z Z	Y V	2 ;	7 0 7	۷ . تا .	4 } ⊥		SVS	S	٠.
EUM1 EURIWA	SPZZ/BOJEUMI EURWA Eurm 1			· é			1 :			1	. ·	, . , .	y ·	C .	λ		S V S	LPS	
		1							•		•				Q	H H	2 2	S	٠
			2 0			3 0			0 •			2 0			0 9		7		1
MMM DERPT	Der p1 ALK	8 6 31	0			60.00	Ser.								0.8(6	100	2008	- E335333	
109UBA0	Euran 1.0101	a 8	2 1 8	A		Sec.			9 0 3 0 0 0	S					E o e	X (2)			
OBTZZA IMIMAL DERFA	INCOTZZNOSTZA Eur m 1.0102 sp.P16311 MMAL DERFA Der 11	1 1 8	LRSLR							S			I	S	10.0		30		
SpIP2S780JEUMI_EURMA	Eum 1 Derf1	ar fiz Y -	SLA	N. C. S. S. S. S.	# # # 1		Ž,		9 4 3 3 5 6	3 1 5			100	S	1 9 G F	-20	H		
																8			
1						***************************************	· · · · · · · · · · · · · · · · · · ·				·	·							

Figure 35B (Der p 1)

рекрт	UNDSTANDENTAL SIPTESTININAL DERFA DEFT SIPTESTININAL DERFA EU M INAGOOSZINAGOOSSO DEFT		spiPOB176INMAL_DERPT rricoubadicoubad	DERFA	injaaguezdiaaguezdi		SPIPOBITEINIMAL DERPT		spP16311 MMAL DERFA Derf1	AAAAMEMII EURINA
Der p1 ALX Der p1 Ev m 1 0101 Ev m 1.0101	Curm I 0302 Der f 1 Eurm I Der f 1	Der of ALK	Der p 1 Eur m 1.0101 Eur m 1.0101	Ewm 1.0102 Derf 1	Der (1		Der p1 ALK	Eura 1.0101 Eura 1.0101	Derf 1	Der C
	D ASC C	ý	8	4 4 4	- -		E R	¥ Z ?	3	3
P R G 1 R R G 1 R R R G 1 R G 1 R R G 1 R G	F (4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	0 7 1 2 8 4 2	SALAN TAVAN TAVAN	A V A V 4		2 0 0	1 5 H C	# C 0 # G Y	0.5.0	**************************************
## 0 0	୯୧୯	-								
0	a 20	1 5 6	EE	R	R	2 1 (Elez S	GINN	2 2 0
d H H	R R R S			0	0 He X		3.3			
	8					2		000		
0 0	> 6 a 6 ≥ E Ø B		A COME	66. **:	(A)	~	i.	E E 93		
===	3 8									
0 ·	*	0 / 1								
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				9.93	*					+
120 6017 6018 6018	S)- S - C - C - C - C - C - C - C - C - C	1 B O	4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 K 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7 C S T					
P R V R C C C C C C C C C C C C C C C C C		200		0						1
1 2 2 2	o			- (a)	Ž					
A A T C										-




FIG. 36: Der p 1

À





FIG. 37: Der p 1 mutant


FIG. 38A (Phl p 5)

110.00/4 (1	/	Ţ.i	1			i		2	0 :	1.1	1.	1.1	!].	1	0	į	1	!	.1	i	į	i			,	. :	
tri081341j061341	PN p 5.0103		1		. M	· A .	V H			v	A L	F	L	AV			,	 [:-:	ļ			ļ		· · ·	•		• • •	
triO40960 O40960 splQ40962 MP5A_PHLPF	Phip 5				. 64	A	V H	O	YI	Y	A L	F	L	AļV	Α.	LY	<u> </u>		<u> </u>			ļ.:	ļ .:			. [
spiP22286[MP92_POAPF spiP22286[MP93_POAPF	Pos p 5 (KBG41).		1.		. U	A	V H	Q	YŢ	V.	A L	F	L	A V	A		<u> </u>				 	1			1			
1:10653191065319	Pht p 5								!!!				•			<u>.</u>	:	-				1.4.	: :	:				
1/1065320 065320 1/1065321 065321	PN p 5 PN p 6		1:1:		: :					†: †	: :		•	: :	-:	:	•				+					•		
1rj066318j066318 1rjP93467jP93467	Phip 6 Phip 5				- -		- -	-	- -]-[-	-	1			. .					
6p[P22284[MP91_POAPE	Pos p 5 (KBG 31)			М	D K	AI	ı G	A	Y K		A L	ĸ		A S				À	E I	(F	P	Ÿ	F Q	A	T F	D	KH	
: 6p(Q40237)MPSB_LOLPR :tr Q9XF24 Q9XF24	Lol p 58 Lol p 5A	+ :	<u> </u>	1:1	. M	AI	/ 0	K	H T Y T		A L	F		\ V		F A		•	: -			:	: :					
ingesceepgescee inge1343(081343	Let p 5C Pht p 5.0206			ļ.,	- M	A \	/ Q	K	ΥŢ	V	A L		L /		A	LV				Î.	1	٠		:	: ·' :		- ; -	·.'
trj023972 023972	Hol 15		1:4:	1:1								[-]	: [:		-								<u>.</u>		 . • •		- :	··· .
IriO81344jO81344 InjAAG42255jAAG42255	PN p 5.0207 Hol I 5B				- M	AV	/ u	K	YIT		A L			\		Γ. Λ Γ. Λ	:										•	.: ; ::
In AAG42254 AAG42254 In OB1342 OB1342	Poa p 5 Phi p 5.0203	S	v K	R	. M	A V	Q	K	Y T V H	R	A L		L T P F	V R		L V P R				•	1	-	•	•	٠.٠	1.1	- [-	• ; •
tr/P93466/P93466	Phip 5		<u> </u>					Ξ.	- -		Ā	V	PP	R	G	PR					<u> </u>						<u>: :</u>	
epi040963[MP58_PHLPR tri0958E0[0968E0	PN p 5.0204	+ :				•	÷	-	. ^	<u>^'</u>	MA	V		l A	G	PR	•			+-	1:1		#:	+:	: :	+:-		1
1/10239711023971 4piP56166(MP53 PHAAC	PN p 5.02 Phe a 5.3					À			: ;	v /		Ė				ίν	·				1.	- [: :	·		1.1		• •
HAAQ	Pha a 5,1				. M	ÂΥ	Q	K	YT	M	VĽ	F	LA	V	A	LV		İ		•	Ē	-						
trj004828j004828 trj033995j033996	Hor v 9 Hor v 6 (30kDa)			100	A N		ĸ		H 2	۸۱	/ P	R	RIA	N	L	V A	-			1.		: :	: :		• i •		: :	
.							1			H	-	. .				*****			••••	Ţ	1							
A					1	0	11	1	<u> </u>			2 (0	ļ						ļ	ļļ	i		3	0		<u>ļ</u>	
tr/061341/081341	PN p 5.0103				di														- -	1-								
triO40960(O40960 epiO40962(MPSA_PHLPR	Phip 5 Phip 5 A	++:									X		ĮĄ,					Ę.		ŀ				A	A	E.		
spjP222B5jMP92_POAPR	Pos p 5 (KBG41)	Р	ΑŢ	L	3		Ī			PZ	Ā	6	4	ķ		5.0	,	Ø.		1.				A		·		
apiP22286jMP93_POAPR tdO65319jO65319	Phlp5	P	•	†÷†		. 93	+				G	G					ar	É	#:	1-	1			AAA				H
tr O65320 O65320 tr O65321 O65321	Phip 5 Phip 5					- -		-			G			91				E.	- -		-			A				
tr 065318 065318	Phip5					7		 			G		V.			X.		Ē		l.				Ā	1			
triP93467 P93467 spiP22284 MP91_POAPR		Р	PA	S	(F		K		βр	KV	G	AIN						E O	•	:	÷	:		A	2			
spiQ40237(MP5B_LOLPR tr(Q9XF24(Q9XF24	Lol p 58 Lol p 5A		A:T	P		e A			ξŢ	A A	ı		T.	A				T T	P.A	Ā	-	. A		V	P S A G		A	T
14Q9SC99 Q9SC99	Lol p 5C						Ħ	-		×			Ä	A					P A	Ā		T P			GG		í á	1
tr 081343 081343 tr 023972 023972	Phi p 5.0206 Hol I 5		•		i		Ħ			·	Â	, i	A	ď.				Ġ.		1:				***	. G			1
1110813441081344 1114AG422551AAG42255	Ph p 5.0207 Hol 158	+	: :	<u> </u>	-	+	 ∺	-		÷	Â		100			-	\mathcal{X}		: :	•		: :		A			(IA)	j
	Poa p 5 PN p 5.0203	1 .	-1-				1:1	. :			Ā		12				Ů.				-		M	A			g i	P
tr P93486 P93466	Phip5					ij÷		- -			Ä		` '					Ħ		-								
epiQ40963 MP6B_PHUPR triQ9SBE0;Q9SBE0	PN p 68 PN p 6.0204	+:	: : :	-		- -	÷	: :			A				r Čá	-			+-			:		A				
tri023971 023971 ap P56166 MP53_PHAAQ	PN p 5.02 Pha a 5.3				 -	-1-	i.		Ŀ						:]		-				-1,							2002
HAAO	Pha a 5.1						Ħ			· G					R	量	P			Ĺ		V P L P	P	P	A R	R I	K	A
tr 004828 004828 tr 039995 039995	Hor v 9 Hor v 5 (30kOa)		: :	: :	N	IN		E F	P	V F	N	RT		F		N				:	:	: :	ı		•			Ε.
							11				1		-	ļ					·			••••	-					
			9	0	11		ļļ.			1	0	0		ļ	-			1	1 0					ŀ	1 2	0		. :
irj081341j081341	PN p 5.0103	0.0		ė.	- 1		17		35	X X X		į.				TA.												AK
	PH p 5 PH p 5 A															14					V							U.K
SPIP22285IMP92_POAPR	Pos p 5 (KBG41)						٥			H			×									S						
11/065319(065319	Роер 5 (KOBG600) РЫр 5				1															Š		S						
tr 065320 065320 tr 065321 065321	₽Ы ഉ 5 ₽Ы ഉ 5					A A					٨			H							V		A					41
tr 065318 065318	PH p 5		0 A 0 R	43	-					, ma		C 1									Y			97.799	Ä		ŧ	A E
spIP22284(MP91_POAPR	PN p 5 Poa p 5 (KBG 31)		Par	6 -			V	A E		K G	٧				Ĺ						Y	G S	S			Ţ		A K A K
	Lol p 58 Lol p 5A			6 .	; - 1	Y A	DK	- , Q	150	N K	Q		120			A T	3 (1		A		Q.			1	A
1/JQ9SC99JQ9SC99	Lol p 5C	I I.I				Ď A	K .	ΔΡ			G	1	L	基金	C, O	ű T	0	Ø (V.	ĸ.	¥.	ŲΑ	6	Ħ	a A	t i	E	A K
tr O23972 O23972	Phl p 5.0206 Hal 16	<u> </u>				A T	K	A P		: :	G		P	Q	III N		76	F : P	(T			A:A		Q				A K
Ir 081344 081344 Ir AAG4 2256 A AG4 22 55	Phi p 5.0207 Hol I 58						- /	A P		: -	G	F V								S		A	醫	V				A K
InIAAG42254JAAG42254	Poap5	-	7	-	•	A A	Q ,	A P		• •	G	FV		H	V			S C	A	T		Ä		V	.) */ te			K K
1rJP93466JP93466	Ры p 5.0203 Ры p 5				<u> </u>			A P		: :	G	鎖で	IP.	X								C A	1	V 2				
	PN p 58 PN p 5.0204	 :		: :	ļ		. !	A.P	+-1	<u> </u>	G	X V	P				樱	S	٧		W	A		V				Q K
1/1023971/023971	PN p 5.02		•			E E	Ţ	K	P		E	S	****		Ų							A	S	T	G	O		X.
HAAO	Pha e 5.3 Pha e 5.1		• . • !			5	T I		P	: :	ġ	i K	À	œ			317	5		¥		A	Ш.	À	S			2 %
	Hor v 9 Hor v 5 (30kDa)	Α	A T	6 0		G	Q			M (A)	K	器 S		S	U E	L	S			V		K			S			
	3 (JURUS)	1	•		ļ. 				┿		 - 		+		MA C		- 64	ezeti.					#O,	Q	es in	HUHE	12.54	ASSES.

FIG. 38B (Phl p 5)



			;		. :										:		, .			. :		÷			: :	,		
		 				· -	.	·			1	8 0	···-		<u>-</u>	1	9 0				7	ij.	2	0 0		İ	<u>.</u>	
	<u> </u>	1	::					1																			**********	-
10813411081341	PN p 5.0103	1	ŀ÷	1	<u> </u>	<u></u> .	: :	4.:	1 -	-	V_{i}		SM			28	$\mathbb{Z}_{\mathbb{Z}}$	1.8	Z Ř	1	W.	ر ک				30		H
10409601040960	PN p 5	. i	4.:	٠			∴.∔.:	<u> </u>	٠				N.			3	3			\sim			E			3		ĕ
	PN p 5 A	ļ	<u> </u>	ļ			:	4				100	X	*		1			48		1	S.	18	欕		4		S
p[P22285[MP92_POAPR p[P22286[MP93_POAPR			ļī.										数		****			4								3		č
40663191066319	Phi p 5	·[····		1					•		17								Ť			Ñ	TXT	W.				S
40653201066320	PNpS	·	+:					1	1				7.5		100		1	94				E N	奴	i K				Ġ
ri065321 065321	Phi p 5	1 1	†:		T: 1			7.					ÔÚ.			3.7	<i>2</i>	Ò.	×.\		3	G N				SX		Ğ
1065318)065318	Phip5	1	-	1 -	- 1	- ;	- 1 -	1.							(0,1)	3.0	15.5			1.3		M				$S_{i,j}$	964	S
dP93467 JP93467	PN p5	1			. 1		-] -	1.		-	夫				្សាប្រ		100			3.5		Н			10		96	5
	Poa p 5 (KBG 31)						. [.:	1.			THA				$\Omega \Omega$							UD.			W	S	N E	5
	5B م اما		-			•			٠	- 1			Q,			July 2			M E	T		ŧ N			V		G.	A
dO9XF24 O9XF24	<u> </u>	<u> </u>	<u>. j</u> .			<u></u>	-1							I	W-12				§ 5.		3)	×		LK		C		8
40920381032033	Lol p SC	1	.ļ		;	. 					4			Ţ	TO THE			1		2		K	23.	L K	E	C		ð
1081343 081343	PN p 5.0206	ļļ	. 	ļ	,	.=.	: ::	ļļ			100	AA		V					G			K	翻	100				ř
1023972 023972	Hol 15 Phi p 5.0207	ţ	 .	ļļ			:	÷				A A	4		n i							ŤŔ			rë i	S		É
rj081344j081344 nj AAG42 255j A AG42255	Hal 158	†	+	-			+-	†:-			獭		×07		al day	1		****	170			Ħπ			Ē	3.5	and the	Ĝ
nJAAG42254JAAG42254	Pos p 5	†	 	+:-		<u>:</u> -	۲	•		÷	200		100			1	772		9			Éï	C		Ē	8		ŝ
ri081342i081342	PN p 5.0203	•	†=	†	•		-+-	†					ΤĽ		D O	. 0	17	Υ.	4.7			ijΚ		TX.	Ē	3.		Š.
1P93466 P93466	Phi p 5	1	†						- 1	-			ΤP		D D		10.7					K			E		6.0	Ç.
	Phi p 58	•	1.	-				1.		-1		A	ŦΝ		00	歌盒.			1,4			K		1	E	Sil		S)
109SBE0109SBE0	PN p 5.0204	1	1.	1.	-1	7						A A	ŤΙ		D D	33 G	1.6				214	種人	I i		E			4
	PN p 5.02		i -		-1	-		1.	-		70	1	7.8.3	Y (1)	15-15		g_{ij}		T			K	M.	L	E			Д
p[PS6166]MP63_PHAAQ	Phe a 5.3	1	T	٧	Α	۲.	L	S	н	S	Y (2)		5		1000	10.0			G			K). G		RH		A
IAAQ	Pha e 5.1		1	I.	•			1.			i D	100		***	湯切	5.0	Sea.		G S		ш	g K	100		E	5.0	Q A II	Ž.
r(C04828)O04828	Hor v 8	1	<u> </u>	- 1	- 1	-	<u>. j</u> .	1	- 1		111	D	1			3.5			1.5	L	Q (G		S. R	K	PF		2
1039995 039995	Hor v 5 (30kOs)	1	ţ . .		- 1			į				M D	A.	Mark 1	3121	Kall A	a day		7,	L.	Q C	Ģ	P	S R	ĸ	1.11	Basis	
		ļļ	ļ	ļ				į						ļļ								.	 -		1 1	∤		
		!	-								+		1	2 7	0		11				····!···			1				
riO813411O81341	Phip 5.0103	ļ	DK	200	-			-		-	-	TEA.			i i		AMI	: :		-	:	1.		S.	TIII.	<u>.</u>		
	PN p 5				-	-		1.	- [- 1	·	(- N			75	(17)		-1		-1	•		CIL	XX		-1-		•
pIQ40962IMP6A_PHLPR	Phip 5 A		A		- 1	- 1	. [.	Ι.,			. 14		¥ j					<u>: l</u> :		1.:1					84			:
p(P22285(MP92_POAPR	Pos p 5 (KBG41)				:	-1.	. <u>] -</u>	1	-	1.	X			G				G A	V,	G	A ; 4	\ T	S				u di	:
pIP22286IMP93_POAPR		1				<u>. i .</u>	<u>. j</u>	1		<u>.</u> .	. 2	G											348	Ø.	88	4		Ξ
10653191066319	Phlp5	ļ .	T	E			. į	4								No ris		<u>j</u> .:					赚	Y	镪			:
1065320 065320	PH p 5	ļ	T	Φ.		•					-42			5				<u>.</u> :				. .			瓣			-
	PN p 5		+4.	ς.			:-				-12				$\langle \langle \rangle \rangle$									44	髅			:
rj065318 065318 rjP93467 P93467	PN p 5 PN p 5		÷	E			•	+:			- 1		***		1		付け				- 1	1	N.			-1-		-
p P22284 MP91_POAPR		ļ i	122	1	-		••••			······	·V	58 G		315						-7				1		- [-	1	:
	Loip 56B	·		腳		-				-	188	15 20 1 43	Z i	P	AA	ATT		A T	P	Ā	A A	Y	A		M	PA	A	Ą
	Loip 5A	1		龖		-				.1.	A IX	G		ijΨ	24	AIT					A A	A	53		1	.1.	4.1.	:
	Lolp 6C					-1	1.	1.			A	III G			237	1.	1	- [-			A.		1	9			4	.
	Phi p 5.0206			G		-1.		1.	- 1	- [A.M.	TI V	A		A.I.		TG	: :			A . /	\ <u>.</u> S				٠		:. .
(023972)023972	Hol (5				٠,	• .	.I.		[ALT	- G			ALT:	4 💸	N G	- ; -			Y!				關			:
081344 081344	PN p 5.0207		T	G	٠,		. į			4	4 8	¥.	A M				e e	- -:		با	A.,	12	松鄉		4	*-		Ξ
	Hol 158			G	:	: :		1:	:	: 1	*		AŢ	G		9/3	G	٠.		-	^ /	1		4	鯏			:
	Pos p 5			G	Α.	A . 1	V	ļΔ	Α,	<u> </u>	20	A A V	A.J	G G		4	Ğ						豑					<u>.</u>
	PN p 5.0203	 	Ţ		į			į				# v	₩	を開	28	7 10	TIG	•••		•••	A 7	5			鵩			
	PN p 5	ļļ	+-					+			: 理	A	7 1	3 G 13	7	THE	K G				Ä	S	5			-1-		-
p(040963 MP68_PHLPR	Phip 5.0204	ļļ	╬	ž		-		-				翻立	70	GK	N T	- 3	ΕĞ	-1-			A A	1 5	節案	1	讕	. 1 .		:
	PN p 5.02	·			÷		+-	†	- †		Α	5.52		1020	Ť		NAM!			-1	V 4	A	166	Ų.	譅			:
IDEST TO STATE	Phs = 5.3	 	R	'n	S	P C	, -	1			PP	a v	L		T G			77.		1:1	V /	A	A	SD	S			
	Pha a 5.1	.		t		P C		1	-		P P	QV			A G				-		V /	A	A	S D	V			
							1-1																					- 3
	Hor v 9	•		23.4	. ;			1.		. 1	. 17	11		V	A		MA.			!	• • •		1-1	:	<u> - </u>			






FIG. 39A: Phl p 5, Model A




FIG. 39B: Phl p 5, Model B




FIG. 40A: Phl p 5 mutant, Model A




FIG. 40B: Phl p 5 mutant, Model B





Figure 41: Stimulation of Bet v 1 samples



Cytokin (pg/ml)

Å

